



Noble Earth Technologies
Stone and Concrete Wash

CAUTION – POISON
KEEP OUT OF REACH OF CHILDREN
CONTAINS 25% HYDROCHLORIC ACID



CORROSIVE LIQUID,
N.O.S, UN 1760

DIRECTIONS FOR USE: Workshop floors should be cleaned first with a solvent degreaser, such as Noble Earth Technologies 'Lift Off Degreaser', to remove the heavy grease deposits from the surface. Noble Earth Technologies 'Stone and Concrete Wash' should be diluted with 6 parts of water and applied to the concrete, agitated and then rinsed off. This operation will draw out the stains on the concrete, where the Noble Earth Technologies 'Lift Off Degreaser' only cleans the surface.

For the removal of mildew and rust stains from bricks, concrete, terrazzo, pool surrounds, filters, tiles etc., apply 1 part 'Stone and Concrete Wash' with 6 parts of water to the area. Allow the Noble Earth Technologies 'Stone and Concrete Wash' to sit and draw out the stain. While rinsing off, agitate in order to remove the stains from crevices.

NOTE: Testing of tiles prior to the full application is advised, as some glazes may be damaged.

SAFETY DIRECTIONS: Avoid contact with eyes and skin.

FIRST AID: If poisoning occurs, contact a Poisons Information Centre (phone 13 11 26 from anywhere in Australia) or a doctor. If swallowed, do NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open and flood with water for at least 15 minutes and then seek medical attention.

Noble Earth Technologies · PO BOX 1733 Double Bay NSW 1360
Telephone (02) 9316 8800 · harry@nobleearth.com.au · www.nobleearth.com.au